

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|-----------------|------------------|---------|------------------|
| L2 | 0 | compar\$4 with address with truncat\$3 with extend\$3 and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/03/08 16:21 |
| L3 | 129 | compar\$4 with address with extend\$3 and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/03/08 16:21 |
| L4 | 1 | compar\$4 with address with extend\$3 same (different match equal) with (error fault) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/03/08 16:22 |
| S1 | 188 | 712/209.ccls. and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2005/03/08 09:11 |
| S2 | 173 | 712/229.ccls. and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/06 11:28 |
| S3 | 12 | 712/209.ccls. and ("64" near5 processor) and ("32" near5 instruction) and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/06 10:12 |
| S4 | 1 | 712/209.ccls. and ("64" near5 processor) and ("32" near5 instruction) and (truncat\$3 with address) and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/06 10:13 |
| S5 | 12 | 712/229.ccls. and ("64" near5 processor) and ("32" near5 instruction) and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/06 11:31 |
| S6 | 12 | ((("64" "96" "128") near5 processor) and (("32" "16") near5 instruction) and (truncat\$3 with (target address)) and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/06 11:40 |
| S7 | 45 | emulat\$3 and instruction and (truncat\$3 with (address target))and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/06 11:42 |
| S8 | 40 | emulat\$3 and architecture and instruction and (truncat\$3 with (address target))and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/06 11:48 |
| S9 | 129 | ("32" with bit with instruction) and ("64" with bit with processor) and emulat\$3 and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/06 11:50 |
| S10 | 24 | ((("32" with bit with instruction) and ("64" with bit with processor) and emulat\$3 and @ad<="20000328") and (address adj2 space) and (truncat\$3 extend) and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/06 15:41 |

| | | | | | | |
|-----|-----|--|-----------------|----|-----|------------------|
| S11 | 15 | emulat\$3 and truncat\$3 with extend and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/06 15:43 |
| S12 | 9 | (truncat\$3 same extend same "32" same "64") and address and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/06 16:36 |
| S13 | 8 | select\$4 same ((signed and unsigned) with address) and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/06 16:38 |
| S14 | 48 | (flag bit) with control with (signed and unsigned) and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/07 11:44 |
| S15 | 6 | (signed and unsigned) near2 address and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/07 11:46 |
| S16 | 86 | unsigned near2 address and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/07 11:51 |
| S17 | 7 | (unsigned near2 address) with memory and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/07 11:53 |
| S18 | 15 | unsigned with address with space and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/07 11:54 |
| S19 | 3 | signed with address with space | US-PGPUB; USPAT | OR | OFF | 2003/01/08 11:36 |
| S20 | 2 | compar\$4 with address with "32" with "64" with (fault exception) and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/08 11:39 |
| S21 | 336 | compar\$4 with address with (fault exception) and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/08 11:41 |
| S22 | 88 | compar\$4 near3 address near5 (fault exception) and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/08 11:42 |
| S23 | 28 | compar\$4 adj address near5 (fault exception) and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/08 11:51 |
| S24 | 50 | (mask with address with (fault exception)) and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/08 11:53 |
| S25 | 5 | compar\$4 with (overflow wraparound) with (fault exception) and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/08 11:55 |
| S26 | 1 | compar\$4 with (overflow wraparound) same (address with (fault exception)) and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/08 11:56 |
| S27 | 1 | (compar\$4 with address) same (overflow wraparound) with (fault exception) and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/08 13:05 |

| | | | | | | |
|-----|-----|---|-----------------|----|-----|------------------|
| S28 | 69 | address with (overflow wraparound) with (fault exception) and @ad<="20000328" | US-PGPUB; USPAT | OR | ON | 2003/01/08 13:07 |
| S29 | 14 | ("3828316" "4161784" "4206503" "4366548" "4386399" "4398243" "4409655" "4434459" "4608634" "4675809" "4785393" "4868740" "4890251" "5301338").PN. | USPAT | OR | OFF | 2003/12/08 08:40 |
| S30 | 23 | "5420992".URPN. | USPAT | OR | OFF | 2003/05/15 11:27 |
| S31 | 17 | (truncat\$3 with address\$2) same (extend\$3 with address\$2) | US-PGPUB; USPAT | OR | ON | 2003/05/15 13:12 |
| S32 | 2 | (truncat\$3 with address\$2) same (extens\$3 with address\$2) | US-PGPUB; USPAT | OR | ON | 2003/12/04 13:44 |
| S33 | 477 | porting with (program application) | US-PGPUB; USPAT | OR | ON | 2003/05/15 13:46 |
| S34 | 216 | porting near2 (program application) | US-PGPUB; USPAT | OR | ON | 2003/05/15 13:47 |
| S35 | 33 | porting near2 (program application) and (address with (truncat\$3 sign exten\$4)) | US-PGPUB; USPAT | OR | ON | 2003/05/15 13:48 |
| S36 | 49 | porting with (program application) and (address with (truncat\$3 sign exten\$4)) | US-PGPUB; USPAT | OR | ON | 2003/05/15 13:51 |
| S37 | 16 | porting with (program application) and (address with (truncat\$3 sign)) | US-PGPUB; USPAT | OR | ON | 2003/05/15 14:00 |
| S38 | 98 | confin\$3 with memory with (application program) | US-PGPUB; USPAT | OR | ON | 2003/05/15 14:01 |
| S39 | 15 | ("64" near2 bit near2 address) with ("32" near2 bit near2 space) | US-PGPUB; USPAT | OR | ON | 2003/12/02 15:01 |
| S40 | 3 | (US-6049667-\$ or US-5920722-\$ or US-5826057-\$).did. | USPAT | OR | OFF | 2003/12/02 14:20 |
| S41 | 1 | ((US-6049667-\$ or US-5920722-\$ or US-5826057-\$).did.) and exten\$4 | US-PGPUB; USPAT | OR | ON | 2003/12/02 14:20 |
| S42 | 263 | ("64" near2 bit near2 address) with ("32" near2 bit) and exten\$4 | US-PGPUB; USPAT | OR | ON | 2003/12/02 15:01 |
| S43 | 5 | ("64" near2 bit near2 address) with ("32" near2 bit) and exten\$4 same truncat\$3 | US-PGPUB; USPAT | OR | ON | 2003/12/02 15:07 |
| S44 | 232 | porting near2 (program application) | US-PGPUB; USPAT | OR | ON | 2003/12/02 15:07 |
| S45 | 24 | porting near2 (program application) and ((truncat\$3 exten\$4) near3 address) | US-PGPUB; USPAT | OR | ON | 2003/12/02 15:08 |

| | | | | | | |
|-----|-----|--|-----------------|----|-----|------------------|
| S46 | 8 | (confin\$3 near3 (application program) with memory) same address | US-PGPUB; USPAT | OR | ON | 2003/12/04 13:47 |
| S47 | 0 | (truncat\$4 with (half "32") with ("64" near2 address)) | US-PGPUB; USPAT | OR | ON | 2003/12/04 13:48 |
| S48 | 1 | (truncat\$4 with ("64" near2 address)) | US-PGPUB; USPAT | OR | ON | 2003/12/04 13:49 |
| S49 | 1 | truncat\$4 with half with address | US-PGPUB; USPAT | OR | ON | 2003/12/04 15:43 |
| S50 | 2 | ((flag indicat\$4 specif\$3) with unsigned with signed with address) same exten\$4 | US-PGPUB; USPAT | OR | ON | 2003/12/04 15:44 |
| S51 | 0 | (unsigned with signed with address) same exten\$4 same truncat\$3 | US-PGPUB; USPAT | OR | ON | 2003/12/04 15:44 |
| S52 | 0 | angiulli.in. | IBM_TDB | OR | OFF | 2003/12/08 08:41 |
| S53 | 1 | (enhancement and MH).ti. | IBM_TDB | OR | OFF | 2003/12/08 09:01 |
| S54 | 77 | (backward near2 (compatible compatibility)) and (exten\$5 near3 address) | USPAT | OR | OFF | 2003/12/08 09:05 |
| S55 | 111 | (backward near2 (compatible compatibility)) and (exten\$5 near3 address) | USPAT | OR | ON | 2003/12/08 09:06 |
| S56 | 24 | (backward near2 (compatible compatibility)) and ((zero sign) near2 exten\$5 near3 address) | USPAT | OR | ON | 2003/12/08 09:07 |
| S57 | 13 | ((zero and sign) near2 exten\$5 near3 address) | USPAT | OR | ON | 2003/12/08 10:33 |
| S58 | 157 | 711/212.ccls. | USPAT | OR | ON | 2003/12/08 10:40 |
| S59 | 85 | 711/212.ccls. and exten\$4 | USPAT | OR | ON | 2003/12/08 11:08 |
| S60 | 7 | 711/212.ccls. and exten\$4 and (signed and unsigned) | USPAT | OR | ON | 2003/12/08 10:52 |
| S61 | 6 | 711/212.ccls. and exten\$4 and (signed and unsigned) not extent | USPAT | OR | ON | 2003/12/08 10:58 |
| S62 | 377 | (flag bit) with (zero and sign) near2 exten\$4 | USPAT | OR | ON | 2003/12/08 10:58 |
| S63 | 57 | (flag signal) with (zero and sign) near2 exten\$4 | USPAT | OR | ON | 2004/05/20 13:30 |
| S64 | 5 | (flag signal) with (zero and sign) near2 exten\$4 with address | USPAT | OR | ON | 2003/12/08 11:04 |
| S65 | 0 | ((flag bit signal) near2 indicat\$3) with (zero and sign) near2 exten\$4 with address | USPAT | OR | ON | 2003/12/08 11:04 |
| S66 | 0 | ((flag bit signal) near4 indicat\$3) with (zero and sign) near2 exten\$4 with address | USPAT | OR | ON | 2003/12/08 11:05 |

| | | | | | | |
|-----|-----|---|-----------------|----|-----|------------------|
| S67 | 5 | 711/212.ccls. and (zero and sign) near2 exten\$4 | USPAT | OR | ON | 2003/12/08 14:12 |
| S68 | 3 | (signed and unsigned) near3 address near2 space | USPAT | OR | ON | 2003/12/08 14:27 |
| S69 | 2 | ((zero near1 exten\$4) with address) same (advantage\$3 benefit) | USPAT | OR | ON | 2003/12/08 14:31 |
| S70 | 0 | ((zero near1 exten\$4) with "32-bit address") same "64-bit address" | USPAT | OR | ON | 2003/12/08 14:34 |
| S71 | 0 | ((zero near1 exten\$4) with "32-bit address") | USPAT | OR | ON | 2003/12/08 14:34 |
| S72 | 0 | ((advantage benefit) with unsigned with address with space) | US-PGPUB; USPAT | OR | ON | 2003/12/08 16:14 |
| S73 | 1 | ((advantage benefit) with unsigned with address\$3) | US-PGPUB; USPAT | OR | ON | 2003/12/08 16:24 |
| S74 | 9 | ((advantage benefit) with unsigned with number) | US-PGPUB; USPAT | OR | ON | 2003/12/09 08:59 |
| S75 | 1 | pointer with exten\$4 with (zero and sign) | US-PGPUB; USPAT | OR | ON | 2003/12/08 17:03 |
| S76 | 47 | ((advantage benefit pro) with unsigned) | US-PGPUB; USPAT | OR | ON | 2003/12/09 09:02 |
| S77 | 17 | (use implement) with unsigned with address | US-PGPUB; USPAT | OR | ON | 2003/12/09 09:18 |
| S78 | 1 | (simple straightforward) with unsigned with address | US-PGPUB; USPAT | OR | ON | 2003/12/09 09:19 |
| S79 | 342 | 711/213.ccls. | US-PGPUB; USPAT | OR | OFF | 2004/02/03 16:42 |
| S80 | 132 | 711/214.ccls. | US-PGPUB; USPAT | OR | OFF | 2004/02/03 16:42 |
| S81 | 58 | (flag signal) with (zero and sign) near2 exten\$4 | USPAT | OR | ON | 2004/05/20 13:30 |
| S82 | 379 | 711/213.ccls. | US-PGPUB; USPAT | OR | OFF | 2004/11/12 15:48 |
| S83 | 145 | 711/214.ccls. | US-PGPUB; USPAT | OR | OFF | 2004/11/12 15:49 |
| S84 | 171 | 711/212.ccls. | USPAT | OR | ON | 2004/11/12 15:49 |
| S85 | 0 | flag with (signed unsigned) with "address space" | USPAT | OR | ON | 2004/11/12 15:53 |
| S86 | 0 | flag with (signed and unsigned) with space | USPAT | OR | ON | 2004/11/12 15:53 |
| S87 | 0 | flag with (signed and unsigned) with address\$3 | USPAT | OR | ON | 2004/11/12 15:53 |
| S88 | 42 | (indicat\$3 bit) with (signed and unsigned) with address\$3 | USPAT | OR | ON | 2004/11/12 15:53 |

| | | | | | | |
|-----|-----|--|--------------------|----|----|------------------|
| S89 | 65 | (unsigned with ("0" zero) near2 (extend\$3 extension)) and (signed with sign near2 (extend\$3 extension)) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/03/08 09:14 |
| S90 | 0 | ((unsigned near5 (address\$3 space)) with ("0" zero) near2 (extend\$3 extension)) and ((signed near5 (address\$3 space))with sign near2 (extend\$3 extension)) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/03/08 09:17 |
| S91 | 198 | (ronen peleg).in. and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/03/08 09:17 |
| S92 | 126 | (ronen-ron\$ peleg-alex\$.in. and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/03/08 09:18 |
| S93 | 65 | (ronen-ron\$ peleg-alex\$.in. and (extend\$3 extension) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/03/08 09:18 |
| S94 | 2 | (ronen-ron\$ peleg-alex\$.in. and (zero sign) near5 (extend\$3 extension) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/03/08 09:19 |